

From: [Cargo, Nancy](#)
To: [Canteenwala, Eric](#)
Subject: Re: US EPA Carver Elementary Inquiry
Date: Thursday, June 30, 2016 1:57:50 PM

Dear Eric,

Thank you for getting back to me, my e mails got bounced a few times and I was never sure what happened. I have a sincere question for you. We have run into a few parents whose children are now at Carver. They have attended meeting and have asked for copies of what I assume are these reports. They want soil reports that the district has said have been done, and information on drilling sites, and electrical out put.

My question is I am I allowed to share these papers that I have gotten from you, or are they private. I respect either way, but the district powers that be need to know that parents are very unhappy.

Another teacher, a young one who worked at Carver for years, has stage 4 breast cancer, and it has spread to her spine and shoulder and other areas of her body. She is very ill and the prognosis is not stellar.

Let me know what I can and cannot do. I shouldn't have to seek this from you, but our district has chosen to ignore the pleas of parents.

Thanks ever so,
I hope you are well,
Nancy Cargo

On Fri, Jun 24, 2016 at 2:06 PM, Canteenwala, Eric <Canteenwala.Eric@epa.gov> wrote:

Hello Ms. Cargo,

Nice to hear from you. I apologize for not responding earlier. Attached are some records you might find useful, if you would like more information you can feel free to give me a call.

1. Attached are copies of the soil sampling reports that was voluntarily conducted by the school district. It is publicly available information that could be obtained through a Freedom of Information Act request.

2. Attached is some information I found from state archives on historical drilling in the surrounding area. I recommend checking DOGGR's database of oilwells for more information.

<http://www.conservation.ca.gov/dog/Pages/wellfinder.aspx>

3. Attached is a SCAQMD Complaint report from an SCAQMD inspector that visited Carver Elementary.

4. Attached is a letter from the local natural gas utility company that details their records of natural gas lines near Carver Elementary. There are no high pressure lines within 1,500ft of

the school.

5. Attached is a summary letter written by DTSC detailing US EPA and DTSC's work on the community concerns raised by yourself and Ms. Suwol.

Thank You,

-Eric

Eric Canteenwala

US EPA Region 9

Environmental Protection Specialist

Phone: [415-972-3932](tel:415-972-3932)